



## MAGNUM 120 BENCHMOUNT | WALLMOUNT

### AIR-COOLED

## OZONE GENERATORS

## MAGNUM 120 LP AIR-COOLED OZONE GENERATOR

## LET'S PUT OZONE TO WORK FOR YOU **EFFECTIVELY RELIABLY AND**

**ECONOMICALLY** 





**Best Performance** 

Unparalleled for Air-cooled



5-year Warranty



**Compact Design** Easy to integrate





Smart **Diagnostic & Control systems** 

### **High-Quality Components**

## **TECHNICAL SPECIFICATION**

### EXPERIENCE UNBEATABLE AND GUARANTEED PERFORMANCE








# MAGNUM 120 LP

### LOW PRESSURE WITH THREE OXYGEN GENERATORS



Discover the smart simplicity of our Low-Pressure version. This ozone generator offers an affordable and efficient alternative, harnessing the combination of two low-cost oxygen generators.

Flow meter



## SMARTEST OZONE GENERATOR IN THE WORLD

### **ADVANCED ON-BOARD PROTECTION & CONTROL SYSTEM**

Introducing iOzone<sup>™</sup>, the cutting-edge operating system from Absolute Ozone<sup>®</sup>. Featuring a 5-inch LCD, this innovative system boasts state-of-the-art diagnostic and control systems to ensure uninterrupted 24/7 ozone production and minimize downtime.



### iOzone<sup>™</sup> diagnostics/control system

Designed to protect against installation or usage issues like incorrect gas pressure, high ambient temperatures, flooded ozone cells, wiring/voltage problems and more.



### LCD screen

The LCD screen will allow touch to switch the generator on and off and to adjust the desired power.



### **Remote control**

The instrument comes with 4-20mA Remote Control Inputs, allowing for precise device control via external signals.

## DESIGN

### **COMPACT AND EFFICIENT OZONE GENERATORS**

### • Most compact in the Industry:


MAGNUM 120 - Absolute Ozone® Generators have dimensions of 14" x 26.5"x 7" Only! – saves valuable space and money on shipping.

### Stacking Component:

Absolute Ozone® generators have a stacking component for multiple units, allowing for desired ozone concentration and future expansion up to 5 kg/h or more.

### Reversible Universal Mounting Flange:

Our ozone generator has reversible mounting flanges, making it flexible for horizontal and vertical setups, optimizing accessibility in any industrial environment.







## **HIGH-PERFORMANCE OZONE GENERATORS**

### **ABSOLUTE OZONE® GENERATORS WILL SAVE YOUR MONEY**

### 5-Year Warranty

Peace of mind with our 5-year warranty, plus a performance guarantee. Our reliable Absolute Ozone® generators save you money on repairs and downtime.

### Technical Support

Our technical assistance to our customers is complimentary, unlimited and absolutely free of charge.

### Crafted for reliability and performance

Exceptional reliability. Leak-proof design tested up to 150 PSIG, corrosion-resistant stainless steel enclosure, highest quality components.



## UNPARALLELED PERFORMANCE

### EXPERIENCE UNBEATABLE AND GUARANTEED PERFORMANCE

Absolute Ozone® unbeatable MAGNUM ozone generator dissolves more ozone than any other, delivering superior disinfection rates.

Absolute Ozone® generators are the ultimate breakthrough in ozone technology. Their microfluidic platform design ensures precise and reliable delivery of ultra-pure and high-concentration ozone for a diverse range of applications.

The performance is unequaled in the industry, with the capability of reliably producing high concentration ozone up to 12% by weight.

Ox	ygen Flow	Gas Press. (PSIG)	Power (%)	Ozone Conc. (g/Nm3)	Ozone Prod. (g/h)
	2	20	32%	218.0	23.2
	25	20	100%	92.0	125.9

\* Test was performed at 20°C, Generator was ON for more than 30 min.

Feel free to reach out to us and we'll be happy to provide you with a detail performance chart for your information.

Ozone Conc. (%w/w)	
14.5	
6.3	

## **SPECIFICATIONS**

Ozone (O3) Production:

Working Pressure:

Concentration:

Feed Gas (O2) Flow Rate:

**Dimensions:** 

Weight:

Control Power Requirements:

20 PSIG 6-12% by weight Guaranteed 2 - 25 SLPM 14 x 26.5 x 7 inches (WxDxH) 70 lbs.

120 g/h

230 V ±10%, 1-Phase, 7.3 A \*3-phase option available as an optional feature.

Maximum Power Consumption: 1300W Remote Control: Physical Connections:

4-20mA Remote Control Inputs 02 Inlet: 3/8" SS316 Comp. Connector O3 Outlet: 3/8" SS316 Comp. Connector




### **APPLICATIONS DISCOVER THE BEST SOLUTION FOR YOUR APPLICATION**

Today, Ozone is being implemented in a continually expanding array of applications. At Absolute Ozone®, we are focusing our efforts on the applications and markets in which we can make significant impacts.

- Wastewater Treatment
- Drinking Water Treatment
- Water Parks, Swimming Pools, Spas
- Air & Soil Remediation
- Aquaculture, Zoos & Hatcheries
- Food Processing & Storage
- Laboratory
- Semiconductor
- Laundry Applications
- Agriculture
- Cosmetics
- Livestock and Poultry
- Medical
- **Ozone Therapy**

...and many more.





## **OUR CUSTOMERS**

### JUST A FEW OF THE MAJOR BRANDS & COMPANIES THAT RELY ON **ABSOLUTE OZONE GENERATORS**

For the past three decades, we have consistently delivered reliable and highly efficient ozone generators to our valued clients. These systems have not only proven instrumental in their operations but have also led to substantial cost savings.











Absolute Ozone®, a leader in ozone generation technology since 1985, supplies top-tier ozone generators to 100+ countries worldwide.

Over three decades, we have focused on ensuring client project success through reliable, economical, and effective ozone generators.

We offer a unique opportunity to our customers by providing the most advanced Absolute Ozone generators, guaranteeing equipment effectiveness, project success, and substantial cost savings.

Our unlimited, complimentary technical assistance is a cornerstone of our commitment to customer support.



## Get In Touch

 $\bigcirc$ 

Message Us office@absoluteozone.com

Ad 10 Ca

Address 10712 -181 Street, Edmonton, AB Canada, T5S1K8

**Customer Service** +1 780-486-3200

For more information, please visit our website, Or please feel free to give us a call